Journal of Biomedical Materials Research (Applied Biomaterials) Author Index—Volume 70B

Abdullah, A. See DiCicco, M., 1
Abraham, G. A.
—;Vallo, C. I.; San Román, J.; Cuardrado, T. R.: Mechanical characterization of self-curing acrylic cements formulated with poly(methylmethacrylate)/poly(Î-caprolactone) beads, 340
Abraham, G. A. See Vallo, C. I., 407
Almén, T. See Kjellson, F., 354
Andrade, A. L.
—;Ferreira, J. M. F.; Domingues, R. Z.: Surface modifications of alumina-silica glass fiber, 378
Ashammakhi, N. See Tiainen, J., 49
Atsuta, M. See Yoshida, K., 218
Awad, H. A. See Leddy, H. A., 397

Bacha, R. A.
—;Fiallo, M. M. L.; Sharrock, P.: Release of anthracyclines adsorbed on copper-treated hydroxylapatites, 103
Baldini, N. See Savarino, L., 139
Barinov, S. M. See Hasegawa, M., 332
Batich, C. D. See Andrade, A. L., 384
Bayraktar, G.
—;Duran, O.; Bural, C.; Guvener, B.: Effects of water storage of E-glass fiber reinforced denture base polymers on residual methyl methacrylate content, 161
Best, S. M. See Rea, S. M., 250
Bloebaum, R. D. See Willie, B. M., 130
Bobyn, J. D. See Bayraktar, G., 167
Boesel, L. F.
—;Fernandes, M. H. V.; Reis, R. L.: The behavior of novel hydrophilic composite bone cements in simulated body fluids, 368
Bonfield, W. See Rea, S. M., 250
Brenner, R. E. See Koepp, H. E., 209
Bricca, G. See Robert, R., 303
Brooks, R. A. See Rea, S. M., 250
Bural, C. See Bayraktar, G., 161

Campbell, P. A. See Bayraktar, G., 167
Campbell, P. See Macdonald, W., 262
Carey, J.
—;Fahim, A.; Munro, M.: Design of braided composites cardiovascular catheters based on required axial, flexural, anf torsional rigidities, 73
Catelas, I.
—;Medley, J. B.; Campbell, P. A.; Huk, O. L.; Bobyn, J. D.: Comparison of in vitro with characteristics of wear particles from metal–metal hip implants, 167
Çehreli, M. C.
—;Onur, M. A.; Taş, Z.; Şahin, S.: Vascular response to titanium dioxide: A study on the rat carotid artery, 348
Chan, K. M. See Wong, M. W. N., 361
Chang, Y.-C. See Huang, F.-M., 297
Chen, K.-H. See Lin, S.-Y., 203
Cheng, W.-T. See Lin, S.-Y., 203
Cho, B. H. See Kim, Y., 82
Claes, L. See Koepp, H. E., 209
Cottin, Y. See Robert, R., 303
Cuadrado, T. R. See Vallo, C. I., 407
Cuardrado, T. R. See Abraham, G. A., 340

Darling, A. L.
—;Sun, W.: 3D microtomographic characterization of precision extruded poly-Î-caprolactone scaffolds, 311
Delgado, A. V. See Pusateri, A. E., 114
Denry, I. L.
—;Holloway, J. A.: Effect of heat pressing on the mechanical properties of a mica-based glass-ceramic, 37
DiCicco, M.
—;Goldfinger, A.; Guirand, F.; Abdullah, A.; Jansen, S. A.: *In Vitro* tobramycin elution analysis from a novel β-tricalcium phosphate–silicate-xerogel biodegradable drug-delivery system, 1
Domingues, R. Z. See Andrade, A. L., 378
Doyle, J. W. See Pusateri, A. E., 114
Duran, O. See Bayraktar, G., 161

Edwards, J. T. See Traianedes, K., 21

Fahim, A. See Carey, J., 73
Fang, C.-L. See Hung, W.-S., 122
Fernandes, M. H. V. See Boesel, L. F., 368
Ferreira, J. M. F. See Andrade, A. L., 378
Fiallo, M. M. See Bacha, R. A., 103
Finet, G. See Robert, R., 303
Fischer, D. A. See Sambasivan, S., 278
Fisher, J. See Macdonald, W., 262
Fisher, J. See Williams, S., 233
Fornasier, V. L.
—;Goodman, S. B.; Protzner, K.; Kamel, M.; Song, Y.; Shojaci, A.: The role of implant alignment on stability and particles on periprosthetic osteolysis–a rabbit model of implant failure, 179
Freytag, D. See Weis, C., 191
Funke, Z. See Weis, C., 191

Giunti, A. See Savarino, L., 139
Goldfinger, A. See DiCicco, M., 1
Gómez-Barrena, E. See Urriés, I., 152
Goodman, S. B. See Fornasier, V. L., 179
Guilak, F. See Leddy, H. A., 397
Guirand, F. See DiCicco, M., 1
Günther, K.-P. See Koepp, H. E., 209
Guvener, B. See Bayraktar, G., 161

Han, Y. See Huang, P., 187
Hasegawa, M.
—;Sudo, A.; Komlev, V. S.; Barinov, S. M.; Uchida, A.: High release of antibiotic from a novel hydroxyapatite with bimodal pore size distribution, 332
Holcomb, J. B. See Pusateri, A. E., 114
Holloway, J. A. See Denry, I. L., 37
Hsu, S. M. See Sambasivan, S., 278
Hu, J. See Zhu, B., 43
Huang, F.-M.
—;Chang, Y.-C.: Induction of cyclooxygenase-2 mRNA andd protein expression by dentin bonding agents in human gingival fibroblasts, 297
Huang, P.
—;Zhang, Y.; Xu, K.; Han, Y.: Surface modification of titanium implant by microarc oxidation and hydrothermal treatment, 187
Huk, O. L. See Bayraktar, G., 167
Hung, W.-S.
—;Lai, W.-F. T.; Leu, B.; Su, C.-H.; Fang, C.-L.; Tsai, Y.-H.: Effect of SACCHACHITIN on keratinocyte proliferation and the expressions of type I collagen and tissue-transglutaminase during skin wound healing, 122

Ignatius, A. A. See Koepp, H. E., 209
Ingham, E. See Williams, S., 233

Jansen, S. A. See DiCicco, M., 1

Kamel, M. See Fornasier, V. L., 179
Kanellos, J. See Pusateri, A. E., 114
Katti, D. S.
—;Robinson, K. W.; Ko, F. K.; Laurencin, C. T.: Bioresorbable nanofiber-based systems for wound healing and drug delivery: Optimization of fabrication parameters, 286
Katz, J. L. See Misra, A., 56
Kessler, S. See Koepp, H. E., 209
Kheirabadi, B. S. See Pusateri, A. E., 114

Journal of Biomedical Materials Research (Applied Biomaterials) Author Index—Volume 70B

Abdullah, A. See DiCicco, M., 1
Abraham, G. A.
—;Vallo, C. I.; San Román, J.; Cuardrado, T. R.: Mechanical characterization of self-curing acrylic cements formulated with poly(methylmethacrylate)/poly(Î-caprolactone) beads, 340
Abraham, G. A. See Vallo, C. I., 407
Almén, T. See Kjellson, F., 354
Andrade, A. L.
—;Ferreira, J. M. F.; Domingues, R. Z.: Surface modifications of alumina-silica glass fiber, 378
Ashammakhi, N. See Tiainen, J., 49
Atsuta, M. See Yoshida, K., 218
Awad, H. A. See Leddy, H. A., 397

Bacha, R. A.
—;Fiallo, M. M. L.; Sharrock, P.: Release of anthracyclines adsorbed on copper-treated hydroxylapatites, 103
Baldini, N. See Savarino, L., 139
Barinov, S. M. See Hasegawa, M., 332
Batich, C. D. See Andrade, A. L., 384
Bayraktar, G.
—;Duran, O.; Bural, C.; Guvener, B.: Effects of water storage of E-glass fiber reinforced denture base polymers on residual methyl methacrylate content, 161
Best, S. M. See Rea, S. M., 250
Bloebaum, R. D. See Willie, B. M., 130
Bobyn, J. D. See Bayraktar, G., 167
Boesel, L. F.
—;Fernandes, M. H. V.; Reis, R. L.: The behavior of novel hydrophilic composite bone cements in simulated body fluids, 368
Bonfield, W. See Rea, S. M., 250
Brenner, R. E. See Koepp, H. E., 209
Bricca, G. See Robert, R., 303
Brooks, R. A. See Rea, S. M., 250
Bural, C. See Bayraktar, G., 161

Campbell, P. A. See Bayraktar, G., 167
Campbell, P. See Macdonald, W., 262
Carey, J.
—;Fahim, A.; Munro, M.: Design of braided composites cardiovascular catheters based on required axial, flexural, anf torsional rigidities, 73
Catelas, I.
—;Medley, J. B.; Campbell, P. A.; Huk, O. L.; Bobyn, J. D.: Comparison of in vitro with characteristics of wear particles from metal–metal hip implants, 167
Çehreli, M. C.
—;Onur, M. A.; Taş, Z.; Şahin, S.: Vascular response to titanium dioxide: A study on the rat carotid artery, 348
Chan, K. M. See Wong, M. W. N., 361
Chang, Y.-C. See Huang, F.-M., 297
Chen, K.-H. See Lin, S.-Y., 203
Cheng, W.-T. See Lin, S.-Y., 203
Cho, B. H. See Kim, Y., 82
Claes, L. See Koepp, H. E., 209
Cottin, Y. See Robert, R., 303
Cuadrado, T. R. See Vallo, C. I., 407
Cuardrado, T. R. See Abraham, G. A., 340

Darling, A. L.
—;Sun, W.: 3D microtomographic characterization of precision extruded poly-Î-caprolactone scaffolds, 311
Delgado, A. V. See Pusateri, A. E., 114
Denry, I. L.
—;Holloway, J. A.: Effect of heat pressing on the mechanical properties of a mica-based glass-ceramic, 37
DiCicco, M.
—;Goldfinger, A.; Guirand, F.; Abdullah, A.; Jansen, S. A.: *In Vitro* tobramycin elution analysis from a novel β-tricalcium phosphate–silicate-xerogel biodegradable drug-delivery system, 1
Domingues, R. Z. See Andrade, A. L., 378
Doyle, J. W. See Pusateri, A. E., 114
Duran, O. See Bayraktar, G., 161

Edwards, J. T. See Traianedes, K., 21

Fahim, A. See Carey, J., 73
Fang, C.-L. See Hung, W.-S., 122
Fernandes, M. H. V. See Boesel, L. F., 368
Ferreira, J. M. F. See Andrade, A. L., 378
Fiallo, M. M. See Bacha, R. A., 103
Finet, G. See Robert, R., 303
Fischer, D. A. See Sambasivan, S., 278
Fisher, J. See Macdonald, W., 262
Fisher, J. See Williams, S., 233
Fornasier, V. L.
—;Goodman, S. B.; Protzner, K.; Kamel, M.; Song, Y.; Shojaci, A.: The role of implant alignment on stability and particles on periprosthetic osteolysis–a rabbit model of implant failure, 179
Freytag, D. See Weis, C., 191
Funke, Z. See Weis, C., 191

Giunti, A. See Savarino, L., 139
Goldfinger, A. See DiCicco, M., 1
Gómez-Barrena, E. See Urriés, I., 152
Goodman, S. B. See Fornasier, V. L., 179
Guilak, F. See Leddy, H. A., 397
Guirand, F. See DiCicco, M., 1
Günther, K.-P. See Koepp, H. E., 209
Guvener, B. See Bayraktar, G., 161

Han, Y. See Huang, P., 187
Hasegawa, M.
—;Sudo, A.; Komlev, V. S.; Barinov, S. M.; Uchida, A.: High release of antibiotic from a novel hydroxyapatite with bimodal pore size distribution, 332
Holcomb, J. B. See Pusateri, A. E., 114
Holloway, J. A. See Denry, I. L., 37
Hsu, S. M. See Sambasivan, S., 278
Hu, J. See Zhu, B., 43
Huang, F.-M.
—;Chang, Y.-C.: Induction of cyclooxygenase-2 mRNA andd protein expression by dentin bonding agents in human gingival fibroblasts, 297
Huang, P.
—;Zhang, Y.; Xu, K.; Han, Y.: Surface modification of titanium implant by microarc oxidation and hydrothermal treatment, 187
Huk, O. L. See Bayraktar, G., 167
Hung, W.-S.
—;Lai, W.-F. T.; Leu, B.; Su, C.-H.; Fang, C.-L.; Tsai, Y.-H.: Effect of SACCHACHITIN on keratinocyte proliferation and the expressions of type I collagen and tissue-transglutaminase during skin wound healing, 122

Ignatius, A. A. See Koepp, H. E., 209
Ingham, E. See Williams, S., 233

Jansen, S. A. See DiCicco, M., 1

Kamel, M. See Fornasier, V. L., 179
Kanellos, J. See Pusateri, A. E., 114
Katti, D. S.
—;Robinson, K. W.; Ko, F. K.; Laurencin, C. T.: Bioresorbable nanofiber-based systems for wound healing and drug delivery: Optimization of fabrication parameters, 286
Katz, J. L. See Misra, A., 56
Kessler, S. See Koepp, H. E., 209
Kheirabadi, B. S. See Pusateri, A. E., 114

Kim, C. K. See Kim, Y., 82
Kim, H.-E. See Kim, H.-W., 240, 270
Kim, H.-W.
—;Kim, H.-E.; Knowles, J. C.: Hard-tissue-engineered zirconia porous scaffolds with hydroxyapatite sol-gel and slurry coatings, 270
—;Knowles, J. C.; Kim, H.-E.: Developement of hydroxyapatite bone scaffold for controlled drug release via poly(Í-caprolactone) and hydroxyapatite hybrid coatings, 240
Kim, K.-N. See Oh, K.-T., 318
Kim, O. Y. See Kim, Y., 82
Kim, Y.
—;Kim, C. K.; Cho, B. H.; Son, H. H.; Um, C. M.; Kim, O. Y.: A new resin matrix for dental composite having low volumetric shrinkage, 82
Kjellson, F.
—;Almén, T.; Tanner, K. E.; McCarthy, I. D.; Lidgren, L.: Bone cement X-ray contrast media: A clinically relevant method of measuring their efficacy, 354
Knaack, D. See Traianedes, K., 21
Knowles, J. C. See Kim, H.-W., 240, 270
Ko, F. K. See Katti, D. S., 286
Koepp, H. E.
—;Schorlemmer, S.; Kessler, S.; Brenner, R. E.; Claes, L.; Günther, K.-P.; Ignatius, A. A.: Biocompatibility and osseointegration of β-TCP: Histomorphological and biomechanical studies in a weight-bearing sheep model, 209
Komlev, V. S. See Hasegawa, M., 332
Kressler, J. See Weis, C., 191
Kumar, M. S. See Sripriya, R., 389

Lai, W.-F. T. See Hung, W.-S., 122
Laurencin, C. T. See Katti, D. S., 286
Leddy, H. A.
—;Awad, H. A.; Guilak, F.: Molecular diffusion in tissue-engineered cartilage constructs: effects of scaffold material, time, and culture conditions, 397
Lee, G. P. See Wan, A. C. A., 91
Lee, S. K. M. See Wong, M. W. N., 361
Lee, Y.-K.
—;Lim, B.-S.; Powers, J. M.: Color changes of dental resin composites by a salivary enzyme, 66
Leong, K. W. See Wan, A. C. A., 91
Leu, B. See Hung, W.-S., 122
Leung, K. S. See Wong, M. W. N., 361
Li, C.
—;Wang, Y.; Mason, J.: The effects of curing history on residual stresses in bone cement during hip arthroplasty, 30
Li, M.-J. See Lin, S.-Y., 203
Lidgren, L. See Kjellson, F., 354
Lievre, M. See Robert, R., 303
Lim, B.-S. See Lee, Y.-K., 66
Lin, S.-Y.
—;Chen, K.-H.; Li, M.-J.; Cheng, W.-T.; Wang, S.-L.: Evidence of octacalcium phosphate and type-B carbonated apatites deposited on the surface of explanted acrylic hydrogel intraocular lens, 203
Lu, Q. See Zhu, B., 43
Lu, S. See Wan, A. C. A., 91
Lyman, D. J. See Murray-Wijelath, J., 223

Macdonald, W.
—;Campbell, P.; Fisher, J.; Wennerberg, A.: Variation in surface texture measurements, 262
Mao, H.-Q. See Wan, A. C. A., 91
Marangos, O. See Misra, A., 56
Martinez, R. S. See Pusateri, A. E., 114
Mason, J. See Li, C., 30
McCarthy, I. D. See Kjellson, F., 354
Medel, F. J. See Urriés, I., 152
Medley, J. B. See **Catelas, I.,** 167
Misra, A.
—;Spencer, P.; Marangos, O.; Wang, Y.; Katz, J. L.: Micromechanical analysis of dentin/adhesive interface by the finite element method, 56
Modrow, H. E. See Pusateri, A. E., 114
Morimoto, N. See Yoshida, K., 218
Munro, M. See Carey, J., 73
Murray-Wijelath, J.
—;Lyman, D. J.; Wijelath, E. S.: Vascular grafting healing. III. FTIR analysis of ePTFE graft samples from implanted bigrafts, 223

Odermatt, E. K. See Weis, C., 191
Oh, K.-T.
—;Kim, K.-M.: Electrochemical properties of suprastructures galvanically coupled to a titanium implant, 318
Onur, M. A. See Çehreli, M. C., 348

Pan, J. See Wan, A. C. A., 91
Pellacani, A. See Savarino, L., 139
Phua, S. H. See Wan, A. C. A., 91
Polycarpou, A. A. See Yu, N., 106
Powers, J. M. See Lee, Y.-K., 66
Protzner, K. See Fornasier, V. L., 179
Puértolas, J. A. See Urriés, I., 152
Pusateri, A. E.
—;Kheirabadi, B. S.; Delgado, A. V.; Doyle, J. W.; Kanellos, J.; Uscilowicz, J. M.; Martinez, R. S.; Holcomb, J. B.; Modrow, H. E.: Structural design of the dry fibrin sealant dressing and its impact on the hemostatic efficacy of the product, 114

Qin, L. See Wong, M. W. N., 361

Rea, S. M.
—;Brooks, R. A.; Schneider, A.; Best, S. M.; Bonfield, W.: Osteoblast-like cell response to bioactive composites–surface-topography and composition effects, 250
Reis, R. L. See Boesel, L. F., 368
Richards, N. D.
—;Söderholm, K.-J.; Batich, C. D.: Effect of molar mass of an experimental primer on shear bond strength to dentin, 384
Ríos, R. See Urriés, I., 152
Rioufol, G. See Robert, R., 303
Robert, R.
—;Rioufol, G.; Finet, G.; Cottin, Y.; Tabib, A.; Zeller, M.; Wolf, J. E.; Lievre, M.; Bricca, G.: Experimental assessment of new stent technologies: Validation of a comparative paired rabbit Iliac artery study model, 303
Robinson, K. W. See Katti, D. S., 286
Russell, J. L. See Traianedes, K., 21

Şahin, S. See Çehreli, M. C., 348
Sambasivan, S.
—;Fischer, D. A.; Shen, M. C.; Hsu, S. M.: Molecular orientation of ultrahigh molecular weight polyethylene induced by various sliding motions, 278
San Román, J. See Abraham, G. A., 340
San Román, J. See Vallo, C. I., 407
Savarino, L.
—;Baldini, N.; Tarabusi, C.; Pellacani, A.; Giunti, A.: Diagnosis of infection after total hip replacement, 139
Schneider, A. See Rea, S. M., 250
Schorlemmer, S. See Koepp, H. E., 209
Sehgal, P. K. See Sripriya, R., 389
Shanahan, I. R. See Traianedes, K., 21
Sharrock, P. See Bacha, R. A., 103
Shen, M. C. See Sambasivan, S., 278
Shojaci, A. See Fornasier, V. L., 179
Söderholm, K.-J. See Andrade, A. L., 384
Soini, Y. See Tiainen, J., 49
Son, H. H. See Kim, Y., 82
Song, Y. See Fornasier, V. L., 179
Spencer, P. See Misra, A., 56
Sripriya, R.
—;Kumar, M. S.; Sehgal, P. K.: Improved collagen bilayer dressing for the controlled release of drugs, 389
Stewart, T. D. See Williams, S., 233
Stone, M. H. See Williams, S., 233
Stubbs, H. A. See Traianedes, K., 21
Su, C.-H. See Hung, W.-S., 122
Sudo, A. See Hasegawa, M., 332
Sun, W. See Darling, A. L., 311
Szakacs, J. G. See Willie, B. M., 130

Tabib, A. See Robert, R., 303
Taş, Z. See Çehreli, M. C., 348
Tai, J. K. O. See Wong, M. W. N., 361
Tanaka, M. See Uo, M., 146
Tanner, K. E. See Kjellson, F., 354
Tarabusi, C. See Savarino, L., 139

Tiainen, J.
—;Soini, Y.; Törmälä, P.; Waris, T.; Ashammakhi, N.: Self-reinforced polyactide/polyglycolide 80/20 screws take more than 1½ years to resorb in rabbit cranial bone, 49
Törmälä, P. See Tiainen, J., 49
Traianedes, K.
—;Russell, J. L.; Edwards, J. T.; Stubbs, H. A.; Shanahan, I. R.; Knaack, D.: Donor age and gender effects on osteoinductivity of demineralized bone matrix, 21
Tsai, Y.-H. See Hung, W.-S., 122
Tsuo, Y. See Yoshida, K., 218

Uchida, A. See Hasegawa, M., 332
Um, C. M. See Kim, Y., 82
Uo, M.
—;Tanaka, M.; Watari, F.: Quantatitive analysis of biologic specimens by X-Ray scanning analytic microscopy, 146
Urriés, I.
—;Medel, F. J.; Ríos, R.; Gómez-Barrena, E.; Puértolas, J. A.: Comparative cyclic stress–strain and fatigue resistance behavior of electron–beam- and gamma-irradiated ultrahigh molecular weight polyethylene, 152
Uscilowicz, J. M. See Pusateri, A. E., 114

Vallo, C. I.
—;Abraham, G. A.; Cuadrado, T. R.; San Román, J.: Influence of crosslinked PMMA beaads on the mechanical behavior of self-curing acrylic cements, 407
Vallo, C. I. See Abraham, G. A., 240

Wagoner, Johnson, A. J. See Yu, N., 106
Wan, A. C. A.
—;Mao, H.-Q.; Wang, S.; Phua, S. H.; Lee, G. P.; Pan, J.; Lu, S.; Wang, J.; Leong, K. W.: Poly(phosphoester) Ionomers as tissue-engineering scaffolds, 91
Wang, J. See Wan, A. C. A., 91
Wang, S.-L. See Lin, S.-Y., 203
Wang, S. See Wan, A. C. A., 91
Wang, Y. See Li, C., 30
Wang, Z. See Zhu, B., 43
Waris, T. See Tiainen, J., 49
Watari, F. See Uo, M., 146
Watts, C. W. See Willie, B. M., 130
Wehner, T. See Weis, C., 191
Weis, C.
—;Odermatt, E. K.; Kressler, J.; Funke, Z.; Wehner, T.; Freytag, D.: Poly(vinyl alcohol) membranes for adhesion prevention, 191
Wennerberg, A. See Macdonald, W., 262
Wijelath, E. S. See Murray-Wijelath, J., 223
Williams, S.
—;Stewart, T. D.; Ingham, E.; Stone, M. H.; Fisher, J.: Metal-on-metal bearing wear with different swing phase loads, 233
Willie, B. M.
—;Watts, C. W.; Szakacs, J. G.; Bloebaum, R. D.: A comparative staining technique to detect mineral oil contaminants from orthopedic implants, 130
Wolf, J. E. See Robert, R., 303
Wong, M. W. N.
—;Qin, L.; Tai, J. K. O.; Lee, S. K. M.; Leung, K. S.; Chan, K. M.: Engineered allogeneic chondrocyte pellet for reconstruction of fibrocartilage zone at bone–tendon junction–a preliminary histological observation, 361

Xu, K. See Huang, P., 187

Yin, J. See Zhu, B., 43
Yoshida, K.
—;Morimoto, N.; Tsuo, Y.; Atsuda, M.: Flexural fatigue behavior of machinable and light-activated hybrid composites for esthetic restorations, 218
Yu, N.
—;Polycarpou, A. A.; Wagoner Johnson, A. J.: Measuring mechanical properties of fine-wire cross-sections used in medical devices, 106

Zeller, M. See Robert, R., 303
Zhang, Y. See Huang, P., 187
Zhu, B.
—;Lu, Q.; Yin, J.; Hu, J.; Wang, Z.: Effects of laser-modified polystyrene substrate on CHO cell growth and alignment, 43

Journal of Biomedical Materials Research (Applied Biomaterials) Subject Index—Volume 70B

Accuracy, 262
Acrylic-based bone cements, 407
Acrylic-based cements, 340
Acrylic hydrogel IOL, 203
Acrylic resin, 161
Adhesion, 384
Adhesion prevention, 191
Age gender, 21
Alignment, 43
Angioplkasty, 303
Animal model, 114, 130, 209, 303
Antibiotic, 332
ASTM F75, 167
Axial, 73

Bilayer dressing, 389
Bioactive composites, 250
Bioactive glass, 368
Bioactivity, 378
Biomechanics, 209
Bis-GMA derivatives, 82
Blood vessel, 348
Bond strength, 384
Bone cement, 30, 354, 368
Bone-tendon junction repair, 362
β-TCP, 209
β-tricalcium phosphate, 1

Calcium binding, 91
Cald wire, 106
Cardiovascular catheter, 73
Cartilage, 397
Cefazolin, 286
Cell proliferation, 270
Chinese hamster ovary (CHO) cell, 43
Chondrocyte pallet, 362
Ciprofloxacin, 389
Classical laminate plate theory, 73
Coating, 378
Collagen, 56, 397
Color stability, 66
Composites, 368
Composition, 250
Confocal microscopy, 250
Contrast media, 354
Copper(II), 103
Corrosion, 318
Cranial bone, 49
Crosslinking, 152
Cross-shear motions, 278
Curing, 30
Cyclooxygenase-2, 297

Daunorubicin, 103
DBM, 21
Demineralized bone, 21
Dental composite, 82
Dental/endosteal implant, 318
Dental materials, 161
Dental resin composite, 66
Dentin/adhesive, 56
Dentin bonding agent, 384
Denting bonding agents, 297
Diagnosis, 139
Dissolution, 146
Dissolution rate, 270
Drawn filled tube, 106
Drug delivery, 286, 332, 389
Drug-delivery system, 1, 240

Elastic constants, 73
Electron-beam irradiation, 152
Electrospinning, 286
Elemental mapping, 146
Enzymatic biodegradation, 66
Esthetics, 218
Extracellular matrix, 397

Fatigue, 152
Fatigue strength, 218
Fiber glass, 378
Fibrinogen, 114
Fibrin sealant, 114
Fibronectin, 223
Finite element, 56
Finite element method, 30
Flexural and torsional rigidity, 73
Flexural strength, 218
Fluorescence, 1
Fracture toughness, 37
FRAP, 397
FTIR-ATR, 223
FTIR/Raman microspectroscopy, 203

Gamma irradiation, 152
Ganoderma tsugae, 122
Glass-ceramic, 37
Glass/chemistry, 161
Gradient apatite layer, 270
Graft, 21
GRGDS, 91
Growth factors, 223

Healing, 223
Heat pressing, 37
HEMA, 368
Hemmorhage control, 114
Hemostatic dressing, 114
High-pressure liquid, 161
Hip replacement, 30, 233
Histology, 130
Histomorphology, 209
Human gingival fibroblasts, 297
Hybrid coating, 240
Hybrid composite, 218
Hydrolysis, 91
Hydrophilic, 43
Hydrothermal treatment, 187
Hydroxyapatite, 332, 378
Hydroxyapatite (HA), 103, 240

Implant, 146
Implant failure, 179
Implant interface, 318
Implants, 262
Infection, 139
Inflammation, 297
Interface, 56
Ionomer, 91

Joint laxity, 233

Laser, 43
Liver injury, 114
Loosening, 139

Machinable composite, 218
Material properties, 106
Measurement technique, 354
Mechanical properties, 340, 407
Metal (alloys), 318
Metal–metal hip implants, 167
Metal on metal, 23
Methacrylates, 384
Methodology, 303
Methylmethacrylate/chemistry, 161
Mica, 37

Microarchitecture, 311
Microarc oxidation, 187
Micro-CT, 311
Micromechanics, 56
Microradiography, 209
Mineral oil, 130
Molar mass, 384
Molecular orientation, 278
MP35N, 106

Nanofibers, 286
Nanoindentation, 106
Nanosize, 332
NEXAFS, 278

Octacalcium phosphate, 203
Oligomer synthesis, 384
Opacification, 203
Orthopedic joint replacement, 278
Osteoblast, 250
Osteoinductivity, 21

Peri-prosthetic osteolysis, 179
Polycaprolactone, 311
Polyester, 223
Polyethylene, 152, 179
Poly(ethylene glycol) dijmethacrylate, 407
Poly(Î-caprolactone), 340
Poly(Î-caprolactone) (PCL), 240
Poly(lactide-*co*-glycolide), 286
Polymerization, 30
Poly(Methylmethacrylate), 340
Poly(methyl methacrylate), 407
Poly (N-vinyl-2-pyrrolidione), 389
Poly(phosphoester), 91
Polystyrene, 43
Polytetrafluoroethylene, 223
Poly(vinyl alcohol), 191
Porcine liver esterase, 66
Porosity, 311
Porous, 332
Porous bone scaffold, 240
Porous coated implants, 130
Proliferating cell nuclear antigen (PCNA), 122
PVA hydrogels, 191
PVA membranes, 191

Quantitative analysis, 146

Rabbit, 49, 130
Radiography, 354
Residual stresses, 30
Resin matrix, 82
Restenosis, 303

Sheep, 130
Silicate xerogel, 1
Skin wound healing, 122
Sol-gel, 378
Sol-gel/slurry coating, 270
SR-PLGA, 49
Staining, 130
Standard specimen, 146
Starch, 368
Stem cell, 397
Stent, 303
Succinylated collagen, 389
Surface modification, 187
Surface roughness, 262
Surfaces, 262
Surface topography, 250
Swine, 114
Swing phase load, 233

Texture characterization, 262
Textured microstructure, 37
Thermal cleaning, 130
Thrombin, 114
Tissue engineering, 311, 362, 397
Tissue reaction, 49
Tissue response, 179
Tissue-transglutaminase (t-TGase), 122
Titanium, 49
Titanium dioxide, 348
Titanium implant, 187
Titanium particles, 179
Tobramycin, 1
Topography, 43
Total hip replacement, 139, 167
Triethylene glycol dimethacrylate, 407
Tubular 2-D braid, 73
Type B carbonated apatites, 203
Type I collagen, 122

UHMWPE, 152

Vascular graft, 223
Vasoconstriction, 348
Vasodilation, 348
Vessel wall tonus, 348
Volumetric shrinkage, 82

Water storage, 161
Wear mechanisms, 278
Wear particles, 167, 233
Wound healing, 286

X-ray scanning analytic microscopy (XSAM), 146

ZrO_2 porous scaffold, 270